

SPECIFICATION SHEET STYLE: 643195-202



Technical Data

Color	Black
Sizes Available	W5-W11
Packaging	Boxed
Packed	10 Pair/Case
Case Dimensions (in)	22.44 x 17.32 x 12.99
Case Weight (lbs)	25.79
Country of Origin	China
Material	Sandwich Mesh
Outsole	
Тое Туре	Composite
Tread Pattern	
Height	
Construction	Slip Resistant
Certifications	ASTM F2413-18
Product Circularity	

PUMA[®] Safety

Frontside Blk/Grey Womens LOW Composite Toe Impact Resistant Toe Cap, Static Dissipating safety, Slip Resistant, Safety Shoes

- RUBBER OUTSOLE This hard-wearing 572°F heat- and oilresistant rubber outsole has a distinctive tread design with channels to clear fluids for optimum slip resistance. Due to the reinforcement of the rotation point, friction and thus signs of fatigue can be significantly reduced.
- idCELL The idCELL element in the heel area consists of EVA, a very soft, shock absorbing material. It perfectly absorbs impacts and shocks when the heel strikes the ground.
- ROTATION POINT The special feature of the sole is the integrated rotation point. This point in the area of the inner metatarsus is the most severely strained part while walking. By reinforcing the rotation point, friction and thus fatigue is greatly reduced.
- EVA MIDSOLE Thousands of tiny bubbles in this ultra lightweight midsole ensure an optimal cushioning and improve the flexing action of the foot.

Performance Data

ASTM F2413 Requirement

--Compression Resistance--Impact Resistance--Static Dissipative Properties--

Care Instructions

